





DISTRIBUTION UNITS




DISTRIBUTION UNITS

Technical Features :

The most important point about distribution units is, the Screw holes on transparent covers. These holes allow the user to mount the screws without removing it. This provides an important mounting convenience


Since there were no holes before, the user Needed to remove the transparent cover from its place and install it.

With this holes on the transparent cover, there will not be any waste of time for mounting.



DISTRIBUTION UNITS


SLOTTED GROUNDED PANEL TERMINAL CONNECTORS 80 A (6.5 x 9 mm)



(Max. section 16 mm² for single core cable)
(Max. section 10 mm² for multi core cable)

CODE	DESCRIPTIONS	A	B	L	PCS/BOX
ONKA - 2001	2/3 = 5 Holes panel terminal connector	6,5	9	42	50
ONKA - 2002	2/5 = 7 Holes panel terminal connector	6,5	9	54	50
ONKA - 2003	2/8 = 10 Holes panel terminal connector	6,5	9	73	50
ONKA - 2004	2/10 = 12 Holes panel terminal connector	6,5	9	86	50
ONKA - 2005	2/13 = 15 Holes panel terminal connector	6,5	9	105	50
ONKA - 2006	2/20 = 22 Holes panel terminal connector	6,5	9	148	50
ONKA - 2007	2/40 = 42 Holes panel terminal connector	6,5	9	285	50
ONKA - 2008	2/60 = 62 Holes panel terminal connector	6,5	9	410	50
ONKA - 2009	2/80 = 82 Holes panel terminal connector	6,5	9	535	50


SLOTTED GROUNDED PANEL TERMINAL CONNECTORS 160 A (7 x 12 mm)



(Max. section 25 mm²
for single & multi core cable)

CODE	DESCRIPTIONS	A	B	L	PCS/BOX
ONKA - 2021	2/5 = 7 Holes panel terminal connector	7	12	69	50
ONKA - 2022	2/8 = 10 Holes panel terminal connector	7	12	93	50
ONKA - 2023	2/10 = 12 Holes panel terminal connector	7	12	119	50
ONKA - 2024	2/13 = 15 Holes panel terminal connector	7	12	133	50
ONKA - 2025	2/20 = 22 Holes panel terminal connector	7	12	188	50


SLOTTED GROUNDED PANEL TERMINAL CONNECTORS 250 A (10 x 15 mm)



(Max. section 50 mm²
for single & multi core cable)

CODE	DESCRIPTIONS	A	B	L	PCS/BOX
ONKA - 2041	2/5 = 7 Holes panel terminal connector	10	15	124	50
ONKA - 2042	2/8 = 10 Holes panel terminal connector	10	15	149	50
ONKA - 2043	2/10 = 12 Holes panel terminal connector	10	15	173	50
ONKA - 2044	2/13 = 15 Holes panel terminal connector	10	15	211	50
ONKA - 2045	2/20 = 22 Holes panel terminal connector	10	15	308	50


SINGLE POLE DISTRIBUTION UNITS (6.5 x 9 mm) (80 A) WITHOUT COVER



(Max. section 16 mm² for single core cable)
(Max. section 10 mm² for multi core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2051	2 / 5 7 Holes	56.5	24	28.2	32
ONKA - 2052	2 / 8 10 Holes	75	24	28.2	24
ONKA - 2053	2 / 10 12 Holes	87.5	24	28.2	18
ONKA - 2054	2 / 13 15 Holes	106	24	28.2	16
ONKA - 2055	2 / 20 22 Holes	150	24	28.2	12


SINGLE POLE DISTRIBUTION UNITS (6.5 x 9 mm) (80 A)



(Max. section 16 mm² for single core cable)
(Max. section 10 mm² for multi core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2061	2 / 5 7 Holes	56.5	24	36	32
ONKA - 2062	2 / 8 10 Holes	75	24	36	24
ONKA - 2063	2 / 10 12 Holes	87.5	24	36	18
ONKA - 2064	2 / 13 15 Holes	106	24	36	16
ONKA - 2065	2 / 20 22 Holes	150	24	36	12


SINGLE POLE DISTRIBUTION UNITS (7 x 12 mm) (160 A) WITHOUT COVER



(Max. section 25 mm²
for single & multi core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2056	2 / 5 7 Holes	68.1	24	28.2	32
ONKA - 2057	2 / 8 10 Holes	91.8	24	28.2	24
ONKA - 2058	2 / 10 12 Holes	107.6	24	28.2	18
ONKA - 2059	2 / 13 15 Holes	131.2	24	28.2	16
ONKA - 2060	2 / 20 22 Holes	186	24	28.2	12


SINGLE POLE DISTRIBUTION UNITS (7 x 12 mm) (160 A)



(Max. section 25 mm²
for single & multi core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2071	2 / 5 7 Holes	68.1	24	36	32
ONKA - 2072	2 / 8 10 Holes	91.8	24	36	24
ONKA - 2073	2 / 10 12 Holes	107.6	24	36	18
ONKA - 2074	2 / 13 15 Holes	131.2	24	36	16
ONKA - 2075	2 / 20 22 Holes	186	24	36	12

SINGLE POLE DISTRIBUTION UNITS (10 x 15 mm) (250 A) WITHOUT COVER



(Max. section 50 mm²
for single & multi core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2066	2 / 5 7 Holes	107	43.2	39	32
ONKA - 2067	2 / 8 10 Holes	145	43.2	39	24
ONKA - 2068	2 / 10 12 Holes	170	43.2	39	18
ONKA - 2069	2 / 13 15 Holes	206.5	43.2	39	16
ONKA - 2070	2 / 20 22 Holes	294	43.2	39	12


SINGLE POLE DISTRIBUTION UNITS (10 x 15 mm) (250 A)



(Max. section 50 mm²
for single & multi core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2076	2 / 5 7 Holes	107	43.2	39	32
ONKA - 2077	2 / 8 10 Holes	145	43.2	39	24
ONKA - 2078	2 / 10 12 Holes	170	43.2	39	18
ONKA - 2079	2 / 13 15 Holes	206.5	43.2	39	16
ONKA - 2080	2 / 20 22 Holes	294	43.2	39	12


2 POLE DISTRIBUTION UNITS (6.5 x 9 mm) (80 A)



(Max. section 16 mm²
for single core cable)
(Max. section 10 mm²
for multi core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2081	2 / 5 7 Holes	67.5	41.7	50.8	1
ONKA - 2082	2 / 8 10 Holes	86.5	41.7	50.8	1
ONKA - 2083	2 / 10 12 Holes	99	41.7	50.8	1
ONKA - 2084	2 / 13 15 Holes	117.5	41.7	50.8	1
ONKA - 2085	2 / 20 22 Holes	161.3	41.7	50.8	1

2 POLE DISTRIBUTION UNITS (7 x 12 mm) (160 A)




Easily mountable without
taking the cover out

(Max. section 25 mm² for single & multi core cable)



CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2091	2 / 5 7 Holes	80	41.7	50.8	1
ONKA - 2092	2 / 8 10 Holes	103.5	41.7	50.8	1
ONKA - 2093	2 / 10 12 Holes	119	41.7	50.8	1
ONKA - 2094	2 / 13 15 Holes	142	41.7	50.8	1
ONKA - 2095	2 / 20 22 Holes	197	41.7	50.8	1

2 POLE DISTRIBUTION UNITS (10 x 15 mm) (250 A)



(Max. section 50 mm²
for single & multi core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2086	2 / 5 7 Holes	117	55	50.8	1
ONKA - 2087	2 / 8 10 Holes	154.5	55	50.8	1
ONKA - 2088	2 / 10 12 Holes	179	55	50.8	1
ONKA - 2089	2 / 13 15 Holes	217	55	50.8	1
ONKA - 2090	2 / 20 22 Holes	304.5	55	50.8	1


3 POLE DISTRIBUTION UNITS (6.5 x 9 mm) 80 A (LOW TYPE)



(Max. section 16 mm²
for single core cable)
(Max. section 10 mm²
for multi core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2171	2 / 5 7 Holes	67.7	66	47	1
ONKA - 2172	2 / 8 10 Holes	86.6	66	47	1
ONKA - 2173	2 / 10 12 Holes	98.9	66	47	1
ONKA - 2174	2 / 13 15 Holes	117.8	66	47	1
ONKA - 2175	2 / 20 22 Holes	161.5	66	47	1


3 POLE DISTRIBUTION UNITS (7 x 12 mm) 160 A (LOW TYPE)



(Max. section 25 mm²
for single & multi
core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2151	2 / 5 7 Holes	80	66	47	1
ONKA - 2152	2 / 8 10 Holes	103.5	66	47	1
ONKA - 2153	2 / 10 12 Holes	119	66	47	1
ONKA - 2154	2 / 13 15 Holes	142	66	47	1
ONKA - 2155	2 / 20 22 Holes	197	66	47	1


3 POLE DISTRIBUTION UNITS (10 x 15 mm) 250 A (LOW TYPE)



(Max. section 50 mm²
for single & multi core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2181	2 / 5 7 Holes	117	94.5	50	1
ONKA - 2182	2 / 8 10 Holes	154.5	94.5	50	1
ONKA - 2183	2 / 10 12 Holes	179	94.5	50	1
ONKA - 2184	2 / 13 15 Holes	217	94.5	50	1
ONKA - 2185	2 / 20 22 Holes	304.5	94.5	50	1

3 POLE DISTRIBUTION UNITS (10 x 15 mm) 250 A (HIGH TYPE WITH LEGS)




(Max. section 50 mm²
for single & multi core cable)



CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2186	2 / 5 7 Holes	117	94.5	65	1
ONKA - 2187	2 / 8 10 Holes	154.5	94.5	65	1
ONKA - 2188	2 / 10 12 Holes	179	94.5	65	1
ONKA - 2189	2 / 13 15 Holes	217	94.5	65	1
ONKA - 2190	2 / 20 22 Holes	304.5	94.5	65	1


4 POLE DISTRIBUTION UNITS (6.5 x 9 mm) 80 A (LOW TYPE)



(Max. section 16 mm²
for single core cable)
(Max. section 10 mm²
for multi core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2201	2 / 5 7 Holes	67.8	86	49	1
ONKA - 2202	2 / 8 10 Holes	86.7	86	49	1
ONKA - 2203	2 / 10 12 Holes	99	86	49	1
ONKA - 2204	2 / 13 15 Holes	117.9	86	49	1
ONKA - 2205	2 / 20 22 Holes	161.6	86	49	1


4 POLE DISTRIBUTION UNITS (7 x 12 mm) 160 A (LOW TYPE)



(Max. section 25 mm²
for single & multi
core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2211	2 / 5 7 Holes	79.7	86	49	1
ONKA - 2212	2 / 8 10 Holes	103.2	86	49	1
ONKA - 2213	2 / 10 12 Holes	118.7	86	49	1
ONKA - 2214	2 / 13 15 Holes	141.7	86	49	1
ONKA - 2215	2 / 20 22 Holes	196.7	86	49	1


4 POLE DISTRIBUTION UNITS (10 x 15 mm) 250 A (LOW TYPE)



(Max. section 50 mm²
for single & multi
core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2116	2 / 5 7 Holes	124.5	130	68	1
ONKA - 2117	2 / 8 10 Holes	162	130	68	1
ONKA - 2118	2 / 10 12 Holes	186.5	130	68	1
ONKA - 2119	2 / 13 15 Holes	224.5	130	68	1
ONKA - 2120	2 / 20 22 Holes	312	130	68	1


4 POLE DISTRIBUTION UNITS (6.5 x 9 mm) 80 A (HIGH TYPE)



(Max. section 16 mm²
for single core cable)
(Max. section 10 mm²
for multi core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2101	2 / 5 7 Holes	67.3	86.2	87.2	1
ONKA - 2102	2 / 8 10 Holes	86.2	86.2	87.2	1
ONKA - 2103	2 / 10 12 Holes	98.5	86.2	87.2	1
ONKA - 2104	2 / 13 15 Holes	117.4	86.2	87.2	1
ONKA - 2105	2 / 20 22 Holes	161.1	86.2	87.2	1


4 POLE DISTRIBUTION UNITS (7 x 12 mm) 160 A (HIGH TYPE)



(Max. section 25 mm²
for single & multi
core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2111	2 / 5 7 Holes	78.5	86.2	82.3	1
ONKA - 2112	2 / 8 10 Holes	102.5	86.2	82.3	1
ONKA - 2113	2 / 10 12 Holes	118	86.2	82.3	1
ONKA - 2114	2 / 13 15 Holes	141	86.2	82.3	1
ONKA - 2115	2 / 20 22 Holes	196	86.2	82.3	1


5 POLE DISTRIBUTION UNITS (10 x 15 mm) 250 A (LOW TYPE)



(Max. section 50 mm²
for single & multi
core cable)

CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2191	2 / 5 7 Holes	124.5	149.5	96	1
ONKA - 2192	2 / 8 10 Holes	162	149.5	96	1
ONKA - 2193	2 / 10 12 Holes	186.5	149.5	96	1
ONKA - 2194	2 / 13 15 Holes	224.5	149.5	96	1
ONKA - 2195	2 / 20 22 Holes	312	149.5	96	1


5 POLE DISTRIBUTION UNITS (10 x 15 mm) 250 A (HIGH TYPE WITH LEGS)



(Max. section 50 mm²
for single & multi core cable)


CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2216	2 / 5 7 Holes	124.5	149.5	111	1
ONKA - 2217	2 / 8 10 Holes	162	149.5	111	1
ONKA - 2218	2 / 10 12 Holes	186.5	149.5	111	1
ONKA - 2219	2 / 13 15 Holes	224.5	149.5	111	1
ONKA - 2220	2 / 20 22 Holes	312	149.5	111	1

5 POLE DISTRIBUTION UNITS (10 x 15 mm) 250 A (OLD MODEL)




CODE	DESCRIPTIONS	L	F	C	PCS/BOX
ONKA - 2121	2 / 5 7 Holes	120	151.5	97.5	1
ONKA - 2122	2 / 8 10 Holes	158	151.5	97.5	1
ONKA - 2123	2 / 10 12 Holes	182.5	151.5	97.5	1
ONKA - 2124	2 / 13 15 Holes	220.5	151.5	97.5	1
ONKA - 2125	2 / 20 22 Holes	308	151.5	97.5	1

30 x 5 mm 5 HOLE DISTRIBUTION UNIT WITH BUSBARS




CODE	DESCRIPTIONS	PCS/BOX
ONKA-2135	Max. 30 x 5 mm Copper Busbars	1

30 x 5 mm 5 HOLE DISTRIBUTION UNIT ACCESSORIES




CODE	DESCRIPTIONS	PCS/BOX
ONKA-2131	30 x 5 Base	10
ONKA-2132	Insulation Separator 30 mm	1 mt
ONKA-2133	Insulation Cover	1

ASCENDER PART FOR DISTRIBUTION UNITS



CODE	DESCRIPTIONS	PCS/BOX
ONKA-2134	Ascender part for 1 - 3 - 5 Pole Distribution Units	100

DISTRIBUTION UNIT ISOLATION APPARATUS



CODE	DESCRIPTIONS	PCS/BOX
ONKA-2137	35 mm Cover Apparatus	10